

INDIANA. N & W 2 P. M.



Township N° X North of the Base Line, Range N° II West of 2nd Meridian. Surveyed by Wm Harris, 1816,
The Baron, 1819.

Description of the Soil on the interior Sectional Lines.

The part within Vincennes Dist. - contains 19,628.71

Between Sections	Quality &c	Between Sections	Quality &c	Between Sections	Quality &c
25.26	Land Hilly, Beech, Sugar, Poplar, Oak, good farming land.	25.27	Land Rolling, Beech, Sugar, Oak, Ash, good farming land.	25.28	Good farming land.
25.26	ditto	27.28	ditto	27.29	Good Beech, Oak, not very good.
25.26	Land Hilly, Oak, Sugar.	27.29	Land Rolling, Beech, Sugar & Poplar, middling, ditto.	27.30	Land Rolling, Beech, Sugar, Poplar, good farming land.
24.25	Low wet bottom, Maple, Beech, Spruce.	27.30	ditto	27.31	ditto
23.24	ditto	27.31	Land Rolling, rich soil, Oak, Ash, Spruce, Beech, Poplar.	27.32	ditto
13.24	Land rich, Timber Oak & Beech.	27.32	ditto	27.33	ditto
13.24	First & 1/2 mile Hilly, middling, farming land, Oak, Ash, Beech, Sugar.	15.16	Land Rolling, middling farming land, Oak, Ash, Sugar, Poplar.	17.18	Land rather broken, Timber Same, middling good farming land.
14.15	ditto	10.15	Bottom, rich soil, Oak, Ash, Beech, Walnut.	17.18	Land broken - Timber Same, good soil.
1.12	Broken, 1/2 mile - Sugar, Poplar, Beech, Oak, Ash &c	7.10	Land Hilly, good soil, Oak, Ash, Beech, Poplar, Walnut.	8.12	Land broken with sink holes - Timber Same.
1.13	Same	3.10	Land Hilly, Beech, Sugar, Poplar, middling good farming land.	7.8	Land broken - Timber Same.
24.25	Land Hilly, rich soil, Oak, Ash, Beech, Spruce, Sugar.	3.11	ditto	5.8	East & bottom, wet hilly - middling farming land.
26.27	ditto	32.33	ditto	5.6	ditto
26.27	Hilly, middling good farming land, Oak, Beech, Hickory, Sugar, Spruce.	28.29	Land broken, middling good farming land.	5.7	Land rolling, middling good farming, Beech, Sugar, Poplar.
23.24	Land Hilly, rich soil, Oak, Ash, Beech, Hickory.	28.29	Land rolling, good for farming, Beech, Sugar, Poplar.	7.13	Land rolling, Beech, Sugar, Poplar, Oak, good farming land.
22.23	ditto	21.22	ditto	18.19	Land rolling, Beech, Sugar, Poplar, Oak, good farming land.
14.25	Low wet bottom, Timber Beech, Oak, Ash, Spruce, Walnut.	20.21	Land rolling, rich soil, Oak, Ash, Beech, Walnut, Spruce.	10.30	ditto
14.15	Rich bottom, Oak, Ash, Beech, Walnut.	16.21	Land Same - Timber Walnut, Oak, Ash, Spruce, Beech, Sugar.	30.31	Good rich land.
11.14	Land rolling, rich soil, Oak, Beech, Walnut, Poplar, Sugar.	16.22	Land, broken - Hickory.		
10.11	ditto	5.13	Land Hilly, some flat, Oak bottom.		
2.3	Broken, 1/2 mile - Sugar, Oak, Hickory &c	5.9	Land, flat, Hilly, part bottom, middling good farming land.		
2.11	Broken, 3/4 mile - Oak, Beech, Hickory, Ash - Spruce.	4.7	Best & good farming land, East, very hilly.		

IND

22

HQ

Township N. 10 North, Range N. 2 West of 2nd Meridian

Posts	Bearing trees	Inches diam.	Courses they bear	Links dist.	Quality of the Soil
A Hackberry	12	N 73 W	9		
do	18	S 73 E	5		
B Beech	12	S 54 W	11		
do	7	N 49 E	13		
C Hackberry	14	S 34 E	26		
Beech	12	N 57 E	23		
D Cedar	14	S 75 W	12		
Hickory	10	S 66 E	9		
E Sugar	17	S 46 W	7		
Beech	13	N 68 E	15		
F Ash	32	S 66 W	7		
do	32	N 49 E	27		
G Beech	13	N 34 E	10		
do	16	S 74 W	29		
H Beech	15	S 55 E	11		
do	22	N 47 W	27		
I Hornbeam	14	N 36 E	10		
Cornus	18	S 17 W	9		
J Beech	13	N 34 E	10		
do	16	S 74 W	29		
K Beech	4	S 54 W	8		
do	18	N 13 E	29		
L Maple	17	S 45 W	12		
Bark	5	N 38 E	7		
M Ash	15	S 45 E	11		
Maple	8	N 75 W	15		
N Beech	10	S 47 W	12		
do	10	N 31 E	40		
O Ash	9	S 30 W	12		
Logwood	4	S 60 E	15		
P Beech	13	S 60 W	22		
do	15	S 7 W	23		
do	12	N 20 E	28		
do	14	N 10 E	4		
Q Beech	20	N 55 W	14		
Hickory	5	S 85 E	8		
R Sugar	16	N 60 E	2		
Sugar	6	S 20 W	36		
P Sugar	12	S 70 E	3		
Beech	16	N 48 W	24		
do	12	S 24 E	18		
Q Sugar	4	N 59 W	10		
do	5	S 41 W	14		
R Hickory	18	S 18 E	14		
Beech	6	N 27 E	31		
S Beech	12	N 46 W	9		
do	14	S 14 W	13		
do	12	N 45 E	24		
do	12	S 9 E	17		
S Beech	6	S 36 E	17		
do	11	N 64 E	27		
do	18	S 16 E	33		
T Beech	10	S 80 W	12		
do	8	N 10 E	34		
U Beech	9	S 65 E	32		
do	10	N 16 W	-		
V Sugar	14	N 40 E	13		
do	18	S 4 E	15		
W Sugar	13	N 42 E	11		
Beech	6	S 23 E	25		
X Beech	18	S 14 W	24		
Hickory	30	N 67 E	20		
Y Beech	2	East	14		
do	11	N 78 W	17		

Anterior Section Corners described

Corners of sections	Bearing trees	Inches diam.	Courses they bear	Links dist.
25.26.33.36	Beech	10	S 45 W	29
23.24.25.26	B. Walnut	48	S 7 E	70
13.14.15.16	H Locust	15	N 74 E	59
11.12.13.14	Beech	5	N 42 E	42
1.2.11.12	do	12	N 22 W	22
26.27.34.35	do	16	N 31 W	17
22.23.26.27	do	18	S 51 E	17
14.15.22.23	do	14	N 20 W	25
10.11.14.15	do	11	S 78 E	23
2.3.10.11	do	10	N 42 E	20
27.28.33.34	do	20	S 49 E	20
31.32.37.38	do	4	S 55 W	12
15.16.21.22	do	15	S 73 E	21
9.10.15.16	do	9	N 62 W	21
2.4.9.10	do	5	South	35
25.26.32.33	do	10	N 64 W	10
20.21.28.29	do	32	S 23 E	12
16.17.20.21	do	7	S 62 W	16
8.9.16.17	do	6	N 66 E	21
4.5.8.9	do	10	N 50 E	15
29.30.31.32	do	3	S 74 W	44
19.20.29.30	do	20	West	12
17.18.19.20	do	17	N 81 E	27
7.8.17.18	do	18	S 72 W	28
5.6.7.8	do	5	N 54 W	3
	do	16	S 100 E	13
	do	12	N 59 E	5
	do	8	S 56 W	12
	do	12	N 36 E	27
	do	8	N 55 E	26
	do	3	S 59 W	23
	do	14	South	20
	do	14	N 19 E	2
	do	7	N 49 W	16
	do	12	S 21 E	37
	do	6	S 71 E	13
	do	14	S 33 W	11
	do	12	N 75 E	13
	do	14	S 20 W	7
	do	10	S 45 E	12
	do	10	N 72 W	31
	do	10	S 28 W	12
	do	11	N 30 E	45
	do	8	N 44 W	6
	do	14	S 72 E	21


Anterior Quarter Section Corners described

From & to	Bearing trees	Inches diam.	Courses they bear	Links dist.
A to B at 1	Beech	6	N 4 E	11
2	H. Ash	18	S 26 E	23
3	Elm	9	N 50 E	6
4	Sugar	14	S 66 W	23
5	do	9	N 38 W	19
6	Beech	12	N 58 E	25
7	do	12	N 38 E	26
8	do	14	N 30 W	32
9	H. Ash	14	N 62 E	15
10	H. Ash	30	S 8 E	20
11	Beech	14	N 23 E	23
12	H. Beech	7	S 60 W	16
A to V at 1	Beech	11	N 50 W	11
2	do	8	S 74 E	10
3	Hickory	7	North	7
4	do	12	S 81 E	12
5	Beech	9	S 59 W	22
6	do	20	N 2 W	14
7	Sugar	12	N 9 W	18
8	H. Ash	27	S 25 W	37
9	Beech	9	N 56 W	16
10	Sugar	6	S 46 E	14
11	do	11	N 29 W	23
12	do	14	N 82 E	28
B to W at 1	B. Oak	36	N 60 W	2
2	Elm	5	N 62 E	21
3	Beech	3	-	1
4	Beech	6	N 79 E	9
5	do	8	N 62 E	11
6	do	6	S 54 W	24
7	do	22	N 48 E	9
8	do	3	S 82 W	8
9	do	12	N 83 W	21
10	do	12	S 46 E	25
11	do	13	N 10 W	12
12	do	4	S 30 E	8

Anterior Quarter Section Corners described

From & to	Bearing trees	Inches diam.	Courses they bear	Links dist.
I to X at 1	Doanwood	5	N 46 E	19
2	Beech	15	S 4 E	13
3	Hickory	16	N 61 W	33
4	do	17	S 71 E	28
5	H. Oak	30	S 11 W	15
6	do	4	N 7 E	16
7	Beech	14	East	4
8	do	12	S 51 W	39
9	do	12	S 61 W	13
10	do	12	S 73 E	19
11	do	13	S 17 W	24
12	do	30	N 51 E	20
H to Y at 1	Doanwood	8	S 40 E	21
2	Beech	5	N 21 W	18
3	do	15	N 29 W	10
4	do	16	S 29 E	8
5	B. Gum	18	S 29 W	20
6	Beech	12	N 56 W	20
7	do	12	N 86 W	9
8	Beech	10	N 80 E	15
9	do	7	S 14 W	8
10	H. Oak	12	N 33 E	32
11	Beech	4	N 38 E	7
12	do	14	S 60 W	21
O to Z at 1	Sugar	9	N 19 W	11
2	Beech	9	S 13 W	30
3	Sugar	12	S 53 E	7
4	Beech	12	S 67 W	11
5	Maple	3	S 38 W	82
6	do	3	S 85 E	4
7	B. Oak	36	North	14
8	Beech	16	N 47 E	14
9	P. Oak	32	N 51 W	9
10	Beech	17	S 75 E	29
11	do	18	N 58 E	5
12	do	12	S 83 W	28
P to A at 1	Beech	8	S 54 E	7
2	Sugar	8	N 25 W	23
3	Sugar	14	S 7 W	25
4	Beech	17	North	9
5	Sugar	12	N 79 E	10
6	Beech	18	S 35 W	37
7	do	7	N 11 E	4
8	do	12	S 60 W	33
9	Beech	12	S 76 E	15
10	do	15	N 60 W	33
11	do	20	N 34 W	15
12	do	28	S 84 E	13
Q to B at 1	Doanwood	6	S 50 E	6
2	Hickory	30	N 72 W	4
3	Sugar	9	S 60 W	7
4	H. Oak	24	S 60 E	13
5	Doanwood	44	S 61 W	18
6	Beech	24	N 56 E	25
7	do	9	S 22 W	7
8	do	12	S 70 E	23
9	Beech	11	S 17 W	18
10	do	25	N 52 E	19
11	H. Oak	17	S 16 W	20
12	Beech	16	N 21 E	13
R to C at 1	Beech	7	N 30 E	18
2	do	6	S 34 W	6
3	Beech	12	S 62 E	15
4	do	10	N 34 W	15
5	Sugar	6	N 83 E	24
6	do	15	S 24 W	24
7	Hickory	8	S 80 E	4
8	do	12	S 11 E	7
9	Beech	12	S 24 W	13
10	do	18	N 25 W	9
11	Sugar	10	N 44 E	2
12	H. Walnut	30	S 32 E	5
S to D at 1	Beech	8	S 43 E	18
2	do	10	N 33 E	23
3	do	30	S 7 E	17
4	do	30	N 64 W	20
5	do	15	N 89 E	13
6	do	7	S 11 E	12
7	Honewood	3	N 70 E	13
8	Sycamore	30	N 60 W	23
9	Elm	6	N 35 E	30
10	do	12	corner	-
Corner on old boundary				
between sec 12 & 13	Beech	16	West	34
1172	do	15	S 80 E	10
10.11	do	30	N 55 W	37
do	do	16	S 71 E	32
do	do	23	S 21 W	14
do	do	12	N 18 E	22
3.10	do	6	N 61 E	17
do	do	15	S 88 W	32
3.4	Sugar	18	N 65 W	13
do	Beech	19	S 37 E	25

Township No 10 North Range No 2 West of Second Principal Meridian



See page 5

* See Subdivision book

1972948

INDIANA
N & W 2 P. M.

IND


Pursuant to a contract with and Instructions from Jacob Marshfield, Esq. Surveyor General of the United States bearing date the day of
I have admeasured laid out and surveyed the above described township, and do certify that it had such Marks and bounds both natural & artificial
as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's office
Certified this 2nd day of March 1816
William Harris &c.

Township N^o X North, Range N^o II West of 2nd Meridian.

INDIANA.
N & W 2 P. M.

16.76
17.76
177.58
176.40
161.77
85.80
150.92
320.
314.24
320.
247.79
3.60
57.07
151.19
152.40
150.41
2980.43

Total Quantity 1.562.28
3060.43



Description of Township N^o 10 North, Range N^o 2 West of 2nd Meridian.

Section & quarter section Corners						Exterior Corners				Quality of the Soil &c	
Section	Quarter	Section	Corners	Dist	Dist	Section	Quarter	Section	Dist	Section	Quality
1, 2, 3, 10, 11.		Buck	10 - N64°W	10		D	Hickory	10 - S66°E	9	3-4	Broken 2 ^d rate. Oak, Buck, Sugar, Hickory &c
		Do	33 - S23°E	12			Poplar	14 - S75°W	12	10-11	Same 2 ^d rate. Sugar, Ash &c
P. to E. at	6	Buck	20 - N34°W	15		E	Sugar	17 - S46°W	7	3-10	Same
		Do	29 - S44°E	13			Buck	17 - N68°E	15	2-3	Broken 2 ^d rate. Tin. Same
I to X at	1	Dogwood	3 - N46°E	19		F	Ash	32 - S66°W	7	12-13	Broken 3 ^d rate. Oak, Buck, Hickory, Ash, Pine &c
		Buck	15 - S4°E	13			Do	32 - N49°E	27	11-12	Same
O to 7 at	5	Poplar	32 - N51°W	9		G				2-11	Same
		Buck	17 - S75°E	29						1-12	Broken 2 ^d rate. Sugar, Poplar, Buck, Ash, Oak &c
1, 2, 11, 12		Buck	14 - N20°W	25		H	Buck	19 - S55°E	11	1-2	Same
		Do	17 - S79°E	13			Do	22 - N47°W	27		
H to Y at	2	Buck	13 - N29°W	10		I	Hornbeam	14 - N36°E	10		
		Do	16 - S29°E	8			Locust	18 - S17°W	9		
H to Y at	1	Dogwood	9 - S40°E	21			Sugar	18 - N65°W	13		
		Buck	5 - N21°W	19			Beech	19 - S39°E	25		
O to P at	6	Buck	18 - N35°E	5			do	15 - S88°W	32		
		Do	12 - S43°W	29			do	23 - S31°W	14		
							Beech	12 - N13°W	22		
							do	30 - N55°W	37		
							do	16 - S71°E	23		
							do	16 - N22°E	34		
							do	15 - S30°E	10		
							do	10 - S61°W	19		
							do	14 - N43°W	32		
							do	13 - N30°E	10		
							do	16 - S74°W	29		

40 Chains to an inch


IND

Attest copy from the Original, on file in this Office.

Surveyor General's Office, March 2nd 1820.

Edward Littleton, Secy.

Township N^o 10 North, Range N^o 2 West, 2nd Mer.




Surveyed in 1816 by William Harris Deputy Surveyor.

I certify that the above is a true copy of the recorded plat in this Office.

Surveyor General's Office.
Cincinnati, Sept. 9, 1837

Robert J. Lytle

T. 10 N. R. 2 W. 2d Mer. ✓





ent. Jeff. vol. 6 p. 162. C

The foregoing sub-divisions of fractional sections
are truly copied from the original plat in this Office
Surveyor General's Office
Cincinnati Jan'y. 20. 1834.

M. T. Williams
Surv. Genl.

Copy?

T. 10 & R. 2 W. 2nd Mer.




Indiana Vol. 4. Encl. L.C.

The foregoing Subdivisions of fractional sections
are truly Copies from the Original Plat in this office
Surveyor General's Office. } M. T. Williams
Cincinnati Nov. 24. 1833. } Sur. Genl.

T10N. R2E. 2nd Mer


8.



Comp.

The foregoing subdivisions of fractional sections are truly
 copied from the original plat in this Office.
 Surveyor General's Office
 Cincinnati Nov. 27, 1833 M. T. Williams
 Sur. Genl.

Township No. 10 North Range No. 2 West of Second Principal Meridian



Pursuant to a contract made and instructions from said Mansfield Esq. Surveyor General of the United States bearing date this day of
 I have advanced said land out and surveyed the above described Township and do certify that it had such marks and bounds both actual and legal
 as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's office
 Witness this 27 day of March 1816
 William H. Harris D.

The map is a detailed cadastral survey of a land area, likely a river delta or coastal region. It is divided into numerous small plots, each labeled with handwritten text, including 'AP' (Agricultural Plot), 'RLQ' (River Land Quota), and various numerical values. The map is labeled with letters A through T along the top and bottom edges, and numbers 1 through 31 along the right edge. A large, irregularly shaped area in the upper right is shaded and labeled 'For the disposition of these actions Dec 1st 1880'. A winding river or canal runs through the center of the map. The map is a historical document, possibly a land survey or a record of land ownership.

Pursuant to a Contract with and in strict accordance with said Contract James M. Mansfield Esq. Surveyor General of the United States bearing date the 20th day of
I have adorned and laid out and surveyed the above described Township and do hereby certify that it had Sub marks and Boundaries both natural and artificial
as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's office
Certified this 27th day of March 1886
William Harris Esq.



Description of Township N^o 10 North, Range N^o 2 West of 2nd Meridian

Section & quarter section corners						Exterior corners				Quality of the soil &c		
	North	Bearing trees	Inches diam.	Course they bear	Lhs dist	Gate					Between sections	
Sec 2, 3, 10, 11.		Buck	10	N 64 W	10	D	Hickory	10	S 66 E	9	3 & 4	Broken 2 ^d rate. Oak, Buck, Sugar, Hickory &c
		Do.	33	S 23 E	12		Poplar	14	S 75 W	12		
Pt E at 6.		Buck	20	N 34 W	15	E	Sugar	17	S 46 W	7	10-11	Good 2 ^d rate. Sugar, Ash, &c
		Do.	24	S 44 E	13		Buck	19	N 64 E	15		
I to X at 1.		Dogwood	3	N 46 E	19	F	Ash	32	S 66 W	7	2-3	Broken 2 ^d rate. Fir. Same
		Buck	15	S 4 E	13		Do.	32	N 49 E	27		
O to F at 5.		Poplar	32	N 51 W	9	G					12-13	Broken 3 ^d rate. Oak, Buck, Hickory, Ash, Spruce &c
		Buck	17	S 75 E	29							
1, 2, 11, 12		Buck	14	N 20 W	25	H	Buck	18	S 55 E	11	2-11	Same
		Do.	19	S 79 E	13		Do.	22	N 47 W	27		
H to Y at 2.		Buck	15	N 29 W	10	I	Hornbeam	14	N 36 E	10	1-12	Broken 2 ^d rate. Sugar, Poplar, Buck, Ash, Oak &c
		Do.	16	S 29 E	4							
H to Y at 1.		Dogwood	4	S 40 E	21	J	Louise	14	S 17 W	9	1-2	Same
		Buck	5	N 21 W	14							
O to F at 6.		Buck	19	N 35 E	5	K	Sugar	18	N 65 W	15	2	Buck
		Do.	12	S 43 W	23		Poplar	19	S 39 E	25		
							Do	16	S 61 E	17		
							Do	15	S 58 W	52		
							Do	23	S 31 W	14		
							Do	12	N 15 W	22		
							Do	30	N 55 W	37		
							Do	16	S 71 E	23		
							Do	16	N 52 E	34		
							Do	15	S 34 E	41		
							Do	11	S 44 W	16		
							Do	14	N 45 W	32		
							Do	13	N 35 E	10		
							Do	14	S 44 W	29		

A true copy from the Original, on file in the
 Surveyor General's Office, March 2nd 1825